

PIM-156-C

Industrial Monitor

Chipsee Industrial Monitors are a solid and durable solution for all types of environments. Manufacturing, commercial, or industrial.




PIM-156-C (PN CS-D156) is a 15.6" industrial display that features a **10-point capacitive touchscreen**. The 3mm tempered glass cover with black silk-screen ensures that the screen is water and steam resistant.

The typical power consumption is 14W, while in standby mode CS-D156 uses around 2W, making it ideal for all kinds of applications.

PIM-156-C

Mechanical dimensions:



Product Features:

Display size (inch.)	15.6"	Waterproof	Touch surfaces will not be affected by water droplets or steam
Brightness (cd/m ²)	220	Calibration	No Calibration Tool
Resolution	1920*1080	Touch Screen connection	USB2.0(Type-B)
Touch Screen	10-Point Capacitive	Multi Touch Protocol Support	Windows
Contrast Ratio	800:1	Hanging Method	VESA,MIS-D,100,C
Viewing Angle	Horizontal: 170° / Vertical: 170°	Power Input	DC 12V3A (50/60 Hz)
Color Depth	16.2M	Power Supply	≤ 14W (typ.)
Refresh Frequency	60Hz	Standby Power	≤ 2W (typ.)
Wired connectivity	1x DVI, 1x HDMI, 1x VGA	Work Environment	0°C~ 40°C,90% RH
OSD Control	Button	Storage Environment	-20°C~60°C,90% RH
OSD Language	English, Chinese	Accessories	Bracket /Power Line /VGA Line/USB Line/ Power Adapter
Glass	3mm Tempered Glass with Black Silk-screen		
Touch Technology	Projecting Capacitance (G+G)		
Type of Pen	Fingers, Hands with Gloves, Conductive Stylus		